EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	17	snover.in. and script and cmdlet and object and (command or string or sequenc$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 17:40
L9	17	snover.in. and script and cmdlet and object same (command or string or sequenc$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 17:41
L10	14	snover.in. and script and cmdlet and object same (command or string or sequenc$4) and pars$4 and (wildcard or property or path) and (ado or wmi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 17:48
L11	13	snover.in. and script and cmdlet and object same (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 17:50
L12	13	snover.in. and script and cmdlet and object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:08
L13	0	truther.in. and script and cmdlet and object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:08
L14	0	truthor.in. and script and cmdlet and object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:08
L15	27	microsoft.as. and object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:09

EAST Search History

L16	0	microsoft.as. and (object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:09
L17	7	microsoft.as. and object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4.clm. and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:24
L18	13	object with (command or string or sequenc$4) and pars$4 and (wildcard or property) and path and (ado or wmi) and execut$4.clm. and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:25
L19	13	object with (command or string or sequenc$4) and pars$4 and (wildcard or property or attribute) and path and (ado or wmi) and execut$4.clm. and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:28
L20	13	object with (command or string or sequenc$4) and pars$4 and (wildcard or property or attribute) and path and (ado or wmi) and execut$4 and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:29
L21	13	object with (command or string or sequenc$4 or pipline) and pars$4 and (wildcard or property or attribute) and path and (ado or wmi) and execut$4 and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:30
L22	13	object same (command or string or sequenc$4 or pipline) and pars$4 and (wildcard or property or attribute) and path and (ado or wmi) and execut$4 and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:30
L23	6009	object same (command or string or sequenc$4 or pipline) and pars$4 and (wildcard or property or attribute) and path andexecut$4 and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:30

L24	14	object same (command or string or sequenc$4 or pipline) and pars$4 and (wildcard or property or attribute) and path and execut$4 and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:31
L25	14	(command or string or sequenc$4 or pipline) and pars$4 and (wildcard or property or attribute) and path and execut$4 and script and cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:31
L26	34	cmdlet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:31

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L27	2	command with line with language and object with command with string with (sequenc$4 or order or pipline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:48
L28	55	command with line with language and object with command with (sequenc$4 or order or pipline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:48
L29	6	command with line with language and object with command with (sequenc$4 or order or pipline) and windows and property and path and (symbol or wildcard or character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:49
L30	6	command with line with language and object with command with (sequenc$4 or order or pipline) and execution and property and path and (symbol or wildcard or character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:49

Google

Web   Images   Video   News   Maps   more »

| CMDLET object based command | Search | Advanced Search Preferences |

Web   Results **1 - 10** of about **11,600** for **CMDLET object based command**. (0.57 seconds)

Command Line Makes a Comeback
With PowerShell, the built-in **command** (or **cmdlet**, in PowerShell parlance) ... One great thing about PowerShell's **object-based** approach is that it reduces ...
www.eweek.com/article2/0,1895,2087030,00.asp - 104k - Apr 14, 2007 -
Cached - Similar pages

[PDF] COPYRIGHTED MATERIAL
File Format: PDF/Adobe Acrobat - View as HTML
Use Familiar **Commands**. 55. Long Term Roadmap: Complete Coverage in 3 to 5 Years.
55. COM Access. 56. WMI Access. 56 .NET Class Access. 56. **Object-Based** ...
media.wiley.com/product_data/excerpt/31/04719469/0471946931-1.pdf - Similar pages

[PPT] Monad Shell – Task-Oriented Automation Framework
File Format: Microsoft Powerpoint - View as HTML
Object-based pipelines; Managed code. **Commands** are classes; Reflection-**based** ...
Cmdlets are discovered by searching for .msh or **.cmdlet** files **based** on ...
download.microsoft.com/download/1/8/f/18f8cee2-0b64-41f2-893d-
a6f2295b40c8/TW04038_WINHEC2004.ppt - Similar pages

PowerShell Ponderings
It uses **object-based** pipelines to allow you to combine **commands** to produce ... In the second step you use the where-**object cmdlet** to filter the objects from ...
andrwwatt.wordpress.com/ - 28k - Cached - Similar pages

Windows PowerShell - Useful Built-in cmdlets
Filters objects **based** on parameters set in the **cmdlet command** string. f) group-**object**. An undervalued **cmdlet**. Handy for collecting objects **based** on a common ...
www.computerperformance.co.uk/powershell/powershell_cmdlets_builtin.htm - 33k -
Cached - Similar pages

Introducing Windows PowerShell
Windows PowerShell provides a new interactive model that is **based** on objects, rather than text. The **cmdlet** that receives an **object** can act directly on its ...
msdn2.microsoft.com/en-us/library/ms714418.aspx - 17k - Cached - Similar pages

Hey, Scripting Guy!: Where Are the Cup Holders? -- TechNet ...
NET objects, enabling you to manipulate **object** properties by name rather than having to parse text-**based command** output. Parameter Options set on a **cmdlet** ...
www.microsoft.com/technet/technetmag/issues/2006/12/HeyScriptingGuy/ - 50k -
Cached - Similar pages

Exchange Server 2007: Take **Command** with the Exchange Management ...
The ForEach **cmdlet** acts on each **object** as it's received and runs the **commands** within the { } brackets for each **object**. The Net User **command** creates a new ...
www.microsoft.com/technet/technetmag/issues/2006/12/managementshell/default.aspx -
54k - Cached - Similar pages

Alex Hoffman : On MSH - The Longhorn **Command** Shell
Additionally, a number of **Cmdlet** Provider classes are provided which can be ... MSH offers an **object based** pipline which means that a **command** can output ...

weblogs.asp.net/ahoffman/archive/2003/12/28/46162.aspx - 21k - <u>Cached</u> - <u>Similar pages</u>

<u>Windows PowerShell : Development opportunities in Windows ...</u>
Powerful **command** composition through an **object-based** pipeline ... I investigated the
export-mailbox **cmdlet** but it doesn't go to the dumpster. ...
blogs.msdn.com/powershell/archive/2006/05/04/590382.aspx - 22k -
<u>Cached</u> - <u>Similar pages</u>

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Try <u>Google Desktop</u>: search your computer as easily as you search the web.

| CMDLET object based command | | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google

Google Scholar BETA

| sequence object based command string pipeli | Search |

Scholar All articles   Recent articles Results **1 - 10** of about **12** for **sequence object based command strinç**

All Results

J Snover
J Truher
K Pushpavanam
B Payette

Mechanism for providing data driven **command** line output - group of 2 »
JP Snover, KM Hansen, M Chierotti - 2005 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Cached - Web Search

Mechanism for handling input parameters - group of 2 »
JP Snover, JW Truher III - 2005 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Cached - Web Search

[BOOK] Monad: introducing the new MSH **command** shell and **language** for Windows - group of 2 »
A Oakley - 2005 - books.google.com
... use the .NET Framework and Component **Object** Model (COM ... to the manual click-
by- click
sequence where a ... and investments made in console-**based** applications remain ...
Web Search - Library Search

Mechanism for providing extended functionality to **command** line instructions - group of 3 »
JP Snover, JW Truher III - 2005 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Cached - Web Search

Mechanism for analyzing partially unresolved input - group of 2 »
JP Snover, JW Truher III, K Pushpavanam - 2005 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Cached - Web Search

Administrative tool environment
US Patent 7,155,706, 2006 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Related Articles - Cached - Web Search

Administrative tool environment - group of 3 »
JP Snover, DW Wray, JW Truher III, BG Payette - 2005 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Cached - Web Search

Mechanism for obtaining and applying constraints to constructs within an interactive environment

JP Snover, JW Truher III, K Pushpavanam, S ... - 2005 - freepatentsonline.com
... or the script engine identified a **command string** within the ... framework will decipher
the incoming **object**(s) to ... instantiated from the cmdlet class **based** on the ...
Cached - Web Search

[BOOK] Windows PowerShell in Action - group of 3 »
BG Payette - 2007 - manning.com
... tell it to sort the list of keys **based** on the ... example, the fields are separated by
a **sequence** of digits ... The type of **object** is controlled by the -type parameter ...
View as HTML - Web Search - Library Search

System data interfaces, related architectures, print system data interfaces
and related print system ...
MA Lawrence, AF Maxa - 2006 - freepatentsonline.com
... will use the name resolver to convert friendly name **based** calls such ... [0151] The
sequence
of name ... the same name will resolve to the logical queue **object** in the ...
Cached - Web Search

Google ▶

Result Page: 1 2   **Next**

| sequence object based command st | Search |

Google Home - About Google - About Google Scholar